

GENESIS LN™ PENDANT

PROJECT: _____


TYPE: _____

QUANTITY: _____



PN: 912LN

APPLICATION	• PENDANT MOUNT • INDOOR RATED
DIMENSION	• 14" (36CM)
ILLUMINATION	• DIRECT • LED 90CRI • 1,041 - 1,732 LUMENS
ELECTRICAL	• 120V, 277V, AND 347V • 10kA SURGE SUPPRESSION STANDARD
DIFFUSERS	• HIGH EFFICIENCY ACRYLIC
MOUNTING	• 120" (305CM) BLACK OR WHITE DROP CORD W/ AIRCRAFT CABLE • 1" TO 60" (2.5CM TO 152CM) STEM MOUNT
CONSTRUCTION	• ALUMINUM
FINISHES	• AVAILABLE IN SEVERAL TMS POWDER COATED FINISHES • CUSTOM RAL FINISHES AVAILABLE
DIMMING	• 0 - 10V STANDARD DIMMING
WEIGHT	• 6 LBS MAXIMUM



TMSLIGHTING

GENESIS LN™ PENDANT



PROJECT: _____

TYPE: _____

QUANTITY: _____

912LN

1 2 3 4 5 6 7 8 9 10

1.	ILLUMINATION									
	15LED					19LED				
	LED (W)	15W					19W			
LUMENS	1041					1732				
2.	CRD	C06	C12	C18	C24	C36	C48	C60		
MOUNTING	120"(305CM) DROP CORD	6"(15CM) STEM MOUNT	12"(31CM) STEM MOUNT	18"(46CM) STEM MOUNT	24"(61CM) STEM MOUNT	36"(91CM) STEM MOUNT	48"(122CM) STEM MOUNT	60"(152CM) STEM MOUNT		
3.	NONE			BC			WC			
CORD	---			BLACK DROP CORD			WHITE DROP CORD			
4.	30K			35K			40K			
LED CCT	3000K			3500K			4000K			
5.	120			277			347			
VOLTAGE	120V			277V			347V			
6.	F04	F05	F09	F15	F16	F18	F24	F25	F26	F31
FINISH	MATTE WHITE	GLOSS WHITE	PEWTER	MATTE BLACK	GLOSS BLACK	SATIN ALLUMINUM	MELTED PLATINUM	MELTED GOLD	MELTED COPPER	SILVER METALLIC
	F32	F33	RAL							
	BRONZE METALLIC	PYRITE BRONZE	CUSTOM (SPECIFY)							
7.	F04	F05	F09	F15	F16	F18	F24	F25	F26	F31
ACCENT FINISH	MATTE WHITE	GLOSS WHITE	PEWTER	MATTE BLACK	GLOSS BLACK	SATIN ALLUMINUM	MELTED PLATINUM	MELTED GOLD	MELTED COPPER	SILVER METALLIC
	F32	F33	RAL							
	BRONZE METALLIC	PYRITE BRONZE	CUSTOM (SPECIFY)							
8.	---					DIML				
DIMMING	NONE					LED DIMMING (0 - 10V, CURRENT - SINKING)				
9.	---					EMR				
EMERGENCY ¹	NONE					REMOTE				
10.	BL					ACC				
MOUNTING ³ ACCESSORIES	CEILING SLOPE ADAPTER FOR STEM MOUNT (30°)					AIRCRAFT CABLE FOR DROP CORDS				

1. 10W AT 90 MINUTES. EMERGENCY OPTION IS ONLY AVAILABLE IN 120 - 277V SYSTEMS

2. MAY REQUIRE TO COMPLY WITH LOCAL SEISMIC/EARTHQUAKE CODE


NOTE: SOME OPTIONS MAY NOT BE COMPATIBLE WITH OTHERS. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE. CONTACT TMS LIGHTING FOR UPDATED SPECIFICATIONS.

TMSLIGHTING




GENESIS LN™ PENDANT

DROP CORD MOUNT W/ AIRCRAFT CABLE





PROFILE

STEM MOUNT



BOTTOM




DIRECT

PN	ILLUMINATION	LUMENS	WATTAGE
912LN	15LED	1041	15
	19LED	1732	19

IES INDOOR REPORT

PHOTOMETRIC FILENAME : 912LN 15LED.IES

POLAR GRAPH



MAXIMUM CANDELA = 1299.72 LOCATED AT HORIZONTAL ANGLE = 0, VERTICAL ANGLE = 0
 # 1 - VERTICAL PLANE THROUGH HORIZONTAL ANGLES (90 - 270)
 # 2 - VERTICAL PLANE THROUGH HORIZONTAL ANGLES (0 - 180)

LUMINAIRE LUMENS

1041

TOTAL LUMINAIRE EFFICIENCY

NA

LUMINAIRE EFFICACY RATING

60


TOTAL LUMINAIRE WATTS

17

IES INDOOR REPORT

PHOTOMETRIC FILENAME : 912LN 19LED.IES

POLAR GRAPH



MAXIMUM CANDELA = 4741.45 LOCATED AT HORIZONTAL ANGLE = 0, VERTICAL ANGLE = 0
 # 1 - VERTICAL PLANE THROUGH HORIZONTAL ANGLES (90 - 270)
 # 2 - VERTICAL PLANE THROUGH HORIZONTAL ANGLES (180 - 0)

LUMINAIRE LUMENS

1732

TOTAL LUMINAIRE EFFICIENCY

NA

LUMINAIRE EFFICACY RATING

81

TOTAL LUMINAIRE WATTS

22

AVAILABLE FINISHES



F04¹
MATTE
WHITE



F05¹
GLOSS
WHITE



F09¹
PEWTER



F15
MATTE
BLACK



F16
GLOSS
BLACK



F18¹
SATIN
ALUMINUM



F24¹
MELTED
PLATINUM



F25¹
MELTED
GOLD



F26¹
MELTED
COPPER



F31¹
SILVER
METALLIC



F33¹
PYRITE
BRONZE



RAL
CUSTOM
COLOR
(RAL #)

1: FINISHES IS APPLIED TO THE INTERIOR AND EXTERIOR OF THE FIXTURE.

2: MATERIALS ARE CONSISTENT (INTERIOR & EXTERIOR). STEMS AND CANOPIES WILL BE F16 GLOSS BLACK.

NOTE: ALL FINISHES NOT MARKED WITH NOTATION (1) ARE APPLIED TO THE EXTERIOR ONLY. THE INTERIOR WILL BE F05 GLOSS WHITE. MATTE FINISHES AVAILABLE. CONSULT FACTORY.

FINISHES ARE SUBJECT TO AVAILABILITY AND MAY NOT BE APPLICABLE TO ALL FIXTURES OR FOR QUICKSHIP.

DISPLAYED FINISHES DIFFER BETWEEN SCREENS AS WELL AS PRINTERS AND MAY NOT ACCURATELY DEPICT COLOR.

NOTE: DISPLAYED FINISHES DIFFER BETWEEN SCREENS AS WELL AS PRINTERS AND MAY NOT ACCURATELY DEPICT COLOR.