

ROLLY™ PENDANT

PROJECT: _____


TYPE: _____

QUANTITY: _____



PN: 779R0

APPLICATION	• PENDANT MOUNT • INDOOR RATED
DIMENSION	• 6" OR 8" (15CM OR 20CM)
ILLUMINATION	• DIRECT • LED 90CRI
ELECTRICAL	• 120 - 277V (347V CONSULT FACTORY) • 10KA SURGE SUPPRESSION STANDARD
DIFFUSERS	• HIGH EFFICIENCY ACRYLIC
MOUNTING	• 96" (244CM) BLACK OR WHITE DROP CORD W/ AIRCRAFT CABLE
CONSTRUCTION	• ALUMINUM
FINISHES	• AVAILABLE IN SEVERAL TMS POWDER COATED FINISHES • CUSTOM RAL FINISHES AVAILABLE
DIMMING	• 0 - 10V STANDARD DIMMING (1%) • LUTRON (1%) DIMMING OPTIONAL
WEIGHT	• 2.5 LBS MAXIMUM



TMSLIGHTING

ROLLY™ PENDANT



PROJECT: _____
 TYPE: _____
 QUANTITY: _____

779R0

1 2 3 4 5 6 7 8 9 10

1.	6					8				
DIAMETER	6" DIA. (15CM)					8" DIA. (20CM)				
2.	20IN					9LED				
ILLUMINATION	20W INCANDESCENT MED BASE (PAR 20 RECOMMENDED)					9W LED				
3.	---		30K			35K		40K		
LED CCT	NONE		3000K			3500K		4000K		
4.	120					277				
VOLTAGE	120V					277V				
5.	BC					WC				
CORD	BLACK DROP CORD					WHITE DROP CORD				
6.	F04	F05	F15	F16	F09	F31	F18	F06	F07	F08
FINISH	MATTE WHITE	GLOSS WHITE	MATTE BLACK	GLOSS BLACK	PEWTER	SILVER METALLIC	SATIN ALUMINUM	CLAY BROWN	ZEUS BROWN	MIDNIGHT BLUE
	F10	F11	F13	F14	F21	F22	F24	F25	F26	F28
	FIRE RED	CITRUS ORANGE	FOREST GREEN	SUNSHINE YELLOW	ARCH. BRONZE	HARVEST GOLD	MELTED PLATINUM	MELTED GOLD	MELTED COPPER	DARK CAMPAGNE
	F32	F33	F38	F39	F40	F41	F42	F43	F44	F45
	BRONZE METALLIC	PYRITE BRONZE	MEADOW GREEN	AQUA BLUE	BUBBLE PINK	ELECTRIC PURPLE	FAUX CHROME	FAUX GOLD	FAUX COPPER	COPPER METALLIC
7.	00	F04	F05	F15	F16	F18	F10	F11	F14	F38
ACCENT FINISH	SAME AS OUTSIDE	MATTE WHITE	GLOSS WHITE	MATTE BLACK	GLOSS BLACK	SATIN ALUMINUM	FIRE RED	CITRUS ORANGE	SUNSHINE YELLOW	MEADOW GREEN
	F39	F40	F41	F42	F43	F44	RAL			
	AQUA BLUE	BUBBLE PINK	ELECTRIC PURPLE	FAUX CHROME	FAUX GOLD	FAUX COPPER	CUSTOM (SPECIFY RAL)			
8.	----			DIML			DIME			
DIMMING	NONE			0 - 10V DIMMING (1%)			LUTRON HI - LUME (1%)			
9.	----					EMR				
EMERGENCY ¹	NONE					REMOTE				
10.	ACC									
MOUNTING ² ACCESSORIES	AIRCRAFT CABLE FOR DROP CORDS									

1. 10W AT 90 MINUTES
 2. MAY REQUIRE TO COMPLY WITH THE LOCAL SEISMIC/EARTHQUAKE CODE



NOTE: SOME OPTIONS MAY NOT BE COMPATIBLE WITH OTHERS. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE. CONTACT TMS LIGHTING FOR UPDATED SPECIFICATIONS.

TMSLIGHTING





779R0

REMOTE MOUNT



CANOPY MOUNT




PN	DIAMETER (D)	WEIGHT (LBS)
779R0 - 6	6" (15CM)	2
779R0 - 8	8" (20CM)	2.5

CUSTOM

NOTE: THIS FIXTURE CAN BE CUSTOMIZE. DIMENSION, LAMP TYPES, ENCLOSURE, AND COLOR CAN BE MODIFIED TO SUIT YOUR LIGHTING AND ARCHITECTURAL REQUIREMENTS. CONTACT YOUR LOCAL REPRESENTATIVE FOR MORE DETAILS: <https://tmslighting.com/sales-agents.html>

FINISHES



PREMIUM FINISHES



1: FINISHES IS APPLIED TO THE INTERIOR AND EXTERIOR OF THE FIXTURE.

2: MATERIALS ARE CONSISTENT (INTERIOR & EXTERIOR). STEMS AND CANOPIES WILL BE F16 GLOSS BLACK.

NOTE: ALL FINISHES NOT MARKED WITH NOTATION (1) ARE APPLIED TO THE EXTERIOR ONLY. THE INTERIOR WILL BE F05 GLOSS WHITE.

MATTE FINISHES AVAILABLE. CONSULT FACTORY.

FINISHES ARE SUBJECT TO AVAILABILITY AND MAY NOT BE APPLICABLE TO ALL FIXTURES OR FOR QUICKSHIP.

DISPLAYED FINISHES DIFFER BETWEEN SCREENS AS WELL AS PRINTERS AND MAY NOT ACCURATELY DEPICT COLOR.